

# CARY-C500 Fiber Cleaver

Technical Specifications Ver 1.00  
Nov, 2012



[www.caoptronicsgroup.com](http://www.caoptronicsgroup.com)

# CARY-C500 Fiber Cleaver

The CARY-F600H optical fiber cleaver easy to use, convenient, rotating blade, no position limited, high-precision cutting. Optical fiber cleaver light weight. Cleave angle: < 1 degree . Replaceable blade cleave blade with 16 cleave spots. Nearly 50,000 fibers blade life (2000-3000 /spot) . Adjustable cleave length: 10-20mm



## Specification:

Bare fiber diameter	0.25mm~0.9mm
Outercoat diameter	125μm
Fiber type	Single tube fiber and Ribbon fiber(exchangeable)
Cleaved length	9~16mm(overlap 0.25)
Cleaved angle	0.5°
blade life	36000cleaves
Mode	Semiautomatic
Dimension	59mm(W)*55mm(D)*49mm(H)
Weight	255g

## CA OPTRONICS GROUP's Test and Measurement Support, Services and Assistance

CA OPTRONICS GROUP provides high performance, high value, low cost, affordable test and measurement instruments solution for our customers. Our extensive support sources can help you choose right CA OPTRONICS GROUP' products for your application and apply them successfully. Every instruments and system we sell a global warranty. All of our instruments with at least 18 months factory warranty.

## Our Promise

All of CA OPTRONICS GROUP's test and measurement instruments and system will met its advertised performance and functionality. When you select CA OPTRONICS GROUP's products, we can verify if it is work properly, help with products operation, and provides the basic measurement assistance for the use of special capabilities.

## Contact Information

### United States:

#### **CA OPTRONICS GROUP INC.**

6325 Edison Way.

Fremont, CA 94538

USA

Tel: 1-510-366-7353

Fax: 1-510-353-1809

[www.caoptronicsgroup.com](http://www.caoptronicsgroup.com)

Product specifications and descriptions in this documentation subject to change without notice.

Copyright © 2008 CA OPTRONICS GROUP INC..

May, 2012

71000006 V1.00